


U.S. Serial No. 10/590,623

Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-10 (Canceled).

11. (New) A compound of the Formula I, and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof,



wherein:


R is selected from: hydrogen, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, C<sub>1-6</sub>alkyl and substituted C<sub>1-6</sub>alkyl;

R<sup>10</sup> is selected from: hydrogen, C<sub>1-6</sub>alkyl, -(CH<sub>2</sub>)<sub>m</sub>OH and -(CH<sub>2</sub>)<sub>m</sub>COOH, where m is 0 to 6;

Y is selected from: =O, =S and =NR<sup>11</sup>,

where R<sup>11</sup> is selected from: hydrogen, C<sub>1-6</sub>alkyl, -(CH<sub>2</sub>)<sub>p</sub>OH and -(CH<sub>2</sub>)<sub>p</sub>COOH, where p is 0 to 6; and


Q is a radical or substituted radical of the formula,



in which Z is N or C-R<sup>2</sup>;


wherein R<sup>2</sup> is hydrogen, -NH<sub>2</sub>, -C<sub>1-6</sub>alkyl, substituted -C<sub>1-6</sub>alkyl, -CF<sub>3</sub>, aryl or a radical or substituted radical of the formula

U.S. Serial No. 10/590,623



wherein  $R^5$  is selected from: hydrogen,  $-C_{1-6}$ alkyl and substituted  $-C_{1-6}$ alkyl; and  $R^3$  is hydrogen,  $-C_{1-6}$ alkyl, substituted  $-C_{1-6}$ alkyl or  $C_{3-12}$ cycloalkyl; and  $R^1$  is hydrogen,  $-C_{1-6}$ alkyl, substituted  $-C_{1-6}$ alkyl, amino, mono substituted amino, disubstituted amino and trifluoromethyl.

12. (New) A compound of claim 11, wherein the compound is a compound of Formula III



wherein:

R is selected from: hydrogen,  $C_1-C_{12}$ aryl, substituted  $C_1-C_{12}$ aryl, cycloalkyl, substituted cycloalkyl,  $C_{1-6}$ alkyl,  $-(CH_2)_n-NR^kR^h$ ,  $-C(=NH)NH_2$ ,  $-(CH_2)_2N(CH_3)_2$ ,  $-C(=O)CH_3$ ,  $-(CH_2)_2OCH_3$ ,  $-(CH_2)_2OH$ ,  $-(CH_2)_2C(CH_3)_3$  and  $-(CH_2)CH(CH_3)_2$ ,  $-C(=O)Ph$ ,  $-C(=O)CH_2NHBOC$ ,  $-(CH_2)_2CH(CH_3)_2$ , where n is 0 to 6, and  $R^k$  and  $R^h$  are independently selected from hydrogen,  $C_{1-6}$ alkyl and substituted  $C_{1-6}$ alkyl;

U.S. Serial No. 10/590,623

$R^{10}$  is selected from: hydrogen,  $C_{1-6}$ alkyl,  $-(CH_2)_mOH$  and  $-(CH_2)_mCOOH$ ,


where  $m$  is 0 to 6;

$Y$  is selected from:  $=O$ ,  $=S$  and  $=NR^{11}$ ,

where  $R^{11}$  is selected from: hydrogen,  $C_{1-6}$ alkyl,  $-(CH_2)_pOH$  and  $-(CH_2)_pCOOH$ ,


where  $p$  is 0 to 6; and

$Q$  is a radical of the formula,



in which  $Z$  is  $N$  or  $C-R^2$ ;

wherein  $R^2$  is hydrogen,  $-NH_2$ ,  $-C_{1-6}$ alkyl, substituted  $-C_{1-6}$ alkyl,  $-CF_3$ , aryl or a radical of the formula



wherein  $R^5$  is selected from: hydrogen,  $-C_{1-6}$ alkyl and substituted  $-C_{1-6}$ alkyl; and


$R^3$  is hydrogen,  $-C_{1-6}$ alkyl, substituted  $-C_{1-6}$ alkyl or  $C_{3-12}$ cycloalkyl; and

$R^1$  is hydrogen,  $-C_{1-6}$ alkyl, substituted  $-C_{1-6}$ alkyl, amino, mono substituted amino, disubstituted amino and trifluoromethyl,

and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof.

U.S. Serial No. 10/590,623


13. (New) A compound of claim 11, wherein the compound is a compound of Formula IV



IV








in which

R is



in which the phenyl radical is optionally and independently substituted with up to three substituents selected from: halogen,  $-C_{1-6}$ alkyl,  $-OC_{1-6}$ alkyl,  $-CF_3$ ,  $-CN$ ,  $-CO_2H$ ,  $-SO_2NH_2$ ,  $-CONH_2$ ; or


R is a radical of the formula





; and

Q is a radical of the formula


U.S. Serial No. 10/590,623



in which Z is N or C-R2;

wherein R2 is hydrogen, -NH<sub>2</sub>, -C<sub>1-6</sub>alkyl, -CF<sub>3</sub>, or a radical of the formula

; and


R3 is -C<sub>1-6</sub> alkyl, or a radical of the formula

U.S. Serial No. 10/590,623

n equals zero to two;  
w equals one to two; and  
R1 is -C<sub>1-6</sub>alkyl,  
and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof.


14. (New) A compound of claim 13 in which R is phenyl optionally and independently substituted with up to three substituents selected from: hydrogen, -C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, -CF<sub>3</sub>, -CN, -CO<sub>2</sub>H, -SO<sub>2</sub>NH<sub>2</sub> and -CONH<sub>2</sub>.

15. (New) A compound of claim 14 in which R is



in which X is halogen or CF<sub>3</sub>; and Y is hydrogen, halogen, -C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, -CF<sub>3</sub>, -CN, -CO<sub>2</sub>H, -SO<sub>2</sub>NH<sub>2</sub>, -CONH<sub>2</sub>.

16. (New) A compound of claim 15 in which Q is



in which R4 is methyl or hydrogen, and W is O or N-R1, in which R1 is -C<sub>1-6</sub>alkyl.

17. (New) A method of inhibiting hYAK3 in a mammal; comprising, administering to the mammal a therapeutically effective amount of a compound of claim 11, or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof

18. (New) A method of treating or preventing diseases of the erythroid and hematopoietic systems, caused by the hYAK3 imbalance or inappropriate activity; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 11, or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

19. (New) A method of claim 18 in which diseases of the erythroid and hematopoietic systems are selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia.

U.S. Serial No. 10/590,623

20. (New) A method of treating or preventing diseases selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 11, or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

21. (New) A pharmaceutical composition including a therapeutically effective amount of a compound of claim 11, or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

22. (New) A compound of claim 11 selected from the group consisting of:

(5Z)-2-[(2-Chlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,4-dimethylphenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-[[2-(methyloxy)phenyl]amino]-1,3-thiazol-4(5H)-one;  
 (5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-[[2-(trifluoromethyl)phenyl]amino]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-Chlorophenyl)-amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)-methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-2-[(2,4-dimethylphenyl)amino]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-Chlorophenyl)-amino]-5-[(1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl)-methylidene]-1,3-thiazol-4(5H)-one;

U.S. Serial No. 10/590,623

(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-difluorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-Chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(2-hydroxyethyl)-2-methyl-1H-benzimidazol-6-yl]methylidene)-1,3-thiazol-4(5H)-one;



U.S. Serial No. 10/590,623

(5Z)-2-[(2-chlorophenyl)amino]-5-[(2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-difluorophenyl)amino]-5-[(2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-methyl-2-[[2-(4-morpholinyl)ethyl]amino]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-2-[[2-(4-morpholinyl)ethyl]amino]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-2-[[2-(4-morpholinyl)ethyl]amino]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(2-[[2-(dimethylamino)ethyl]amino]-1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(2-[(2-hydroxyethyl)amino]-1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[[1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[1-[2-(dimethylamino)ethyl]-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;  
 2-(2,6-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;

U.S. Serial No. 10/590,623

2-(2,6-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2-Fluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2-Trifluoromethyl-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2,4-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2,5-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2,4-Dimethyl-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(4-Cyano-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
4-[5-(2-Methyl-benzooxazol-6-yl-methylene)-4-oxo-thiazolidin-2-ylideneamino]-benzoic acid;  
2-(2,4-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(2,5-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
5-(2-Methyl-benzooxazol-6-yl-methylene)-2-phenylimino-thiazolidin-4-one;  
5-(2-Methyl-benzooxazol-6-yl-methylene)-2-(2-piperidin-1-yl-ethylimino)-thiazolidin-4-one;  
2-(2-Methoxy-ethylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
5-(2-Methyl-benzooxazol-6-yl-methylene)-2-(3-morpholin-4-yl-propylimino)-thiazolidin-4-one;  
3-[5-(2-Methyl-benzooxazol-6-yl-methylene)-4-oxo-thiazolidin-2-ylideneamino]-benzenesulfonamide;  
2-(4-Hydroxy-butylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(trans-4-Hydroxy-cyclohexylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
5-(2-Methyl-benzooxazol-6-yl-methylene)-2-phenethylimino-thiazolidin-4-one;  
4-{2-[5-(2-Methyl-benzooxazol-6-yl-methylene)-4-oxo-thiazolidin-2-ylideneamino]-ethyl}-benzenesulfonamide;  
2-(2-Benzo[1,3]dioxol-5-yl-ethylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
2-(4-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;  
5-(2-Methyl-benzooxazol-6-yl-methylene)-2-(pyridin-3-ylimino)-thiazolidin-4-one;  
3-[5-(2-Methyl-benzooxazol-6-yl-methylene)-4-oxo-thiazolidin-2-ylideneamino]-benzamide;

U.S. Serial No. 10/590,623

2-(2-Hydroxy-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;  
2-(1-Hydroxymethyl-2-phenyl-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;  
N-{6-[2-(2-Bromo-phenylimino)-4-oxo-thiazolidin-5-ylidenemethyl]-1H-benzimidazol-2-yl}-2-dimethylamino-acetamide;  
Methyl (5-{(Z)-[2-[(2-bromophenyl)amino]-4-oxo-1,3-thiazol-5(4H)-ylidene]methyl}-1H-benzimidazol-2-yl)carbamate;  
(5Z)-2-[(2-chlorophenyl)amino]-5-{[1-(3,3-dimethylbutyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[1-(3,3-dimethylbutyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one, trifluoroacetate salt;  
(5Z)-5-{[1-(2-cyclopropylethyl)-1H-benzimidazol-6-yl]methylidene}-2-[(2,6-difluorophenyl)amino]-1,3-thiazol-4(5H)-one;  
(5Z)-5-{[1-(2-cyclohexylethyl)-1H-benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one, trifluoroacetate salt;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[(2-phenyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazolidin-4-one, piperidine salt;  
(5Z)-2-[(2-chlorophenyl)amino]-5-{[1-(2-cyclopropylethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;  
(5Z)-5-{[1-(2-cyclopropylethyl)-1H-benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(1-methylethyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-methylpropyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one, piperidine salt;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(3-pyridinyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(hydroxymethyl)-1H-benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-hydroxyethyl)-1H-benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-pyridinyl)-1H-benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;  
(5Z)-5-{[1-(2-cyclopentylethyl)-1H-benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one;  
(5Z)-2-[(2-chlorophenyl)amino]-5-{[1-(2-cyclopentylethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[(2-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(4-pyridinyl)-1H-benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-5-{[1-(2-cyclopropylethyl)-2-(3-pyridinyl)-1H-benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)imino]-1,3-thiazolidin-4-one;

U.S. Serial No. 10/590,623

(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[1-methyl-2-(3-pyridinyl)-1H-benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;  
(2Z,5Z)-5-[[2-(aminomethyl)-1H-benzimidazol-5-yl]methylidene]-2-[(2,6-dichlorophenyl)imino]-1,3-thiazolidin-4-one;  
(2Z,5Z)-5-(1H-benzimidazol-5-ylmethylidene)-2-[(2,6-dichlorophenyl)imino]-1,3-thiazolidin-4-one;  
(2Z,5Z)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(hydroxymethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;  
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-([1-[2-(3-pyridinyl)ethyl]-1H-benzimidazol-6-yl]methylidene)-1,3-thiazol-4(5H)-one;  
(5Z)-5-[[1-(cyclopropylmethyl)-1H-benzimidazol-6-yl]methylidene]-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one;  
(5Z)-5-[(1-cyclopentyl-1H-benzimidazol-6-yl)methylidene]-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one; and  
(5Z)-5-(1,3-Benzoxazol-6-ylmethylidene)-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5H)-one;  
and/or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof.